

Equine

COOLMAX 15% TX #9085

Complete feed for active horses.

GUARANTEED ANALYSIS

Crude Protein, min	15.00%
Lysine, min	0.85%
Methionine, min	0.32%
Threonine, min	0.55%
Crude Fat, min	7.00%
Crude Fiber, max	12.00%
Calcium, min	0.60%
Calcium, max	1.10%
Phosphorus, min	0.55%
Salt, min.	0.25%
Salt, max.	0.65%
Copper, min	55 ppm
Seleinium, min	0.60 ppm
Zinc, min	121 ppm
Vitamin A min	5,249 IU/lb
Vitaimin D3, min	510 IU/lb
Vitamin E, min	62 IU/lb
Biotin, min	1.93 mg/lb.

EXPANDED INGREDIENTS

Cleaned Oats, Rolled Corn, Beet Pulp, Soy Hulls, Roasted Soybeans, Cane Molasses, Soybean Meal, Soybean Oil, Wheat Red Dog, Corn Distiller Dried Grains with Solubles, Wheat Middlings, Calcium Carbonate, Monocalcium Phosphate, Dehydrated Alfalfa Meal, Yeast Culture, Corn Gluten Meal, Salt, Cane Molasses, Magnesium Oxide, dl-Methionine, Vitamin E Supplement, l-Lysine, Natural Zeolites, Manganese Sulfate, Biotin, Choline Chloride, Zinc Sulfate, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinat, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinat, Copper Proteinat, Thiamine Mononitrate, Riboflavin, Pyridoxine HCL, Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTION

The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of body condition that is desired. Provide fresh clean water at all times.

General feeding levels lbs./horse/day: (based on 1,000 lb. horse)

Open Horse	5.0 lbs.
Light Training	7.5 lbs.
Intense Training	10.0 lbs.

(NOTE: if horses are fed less than 4 lbs/head/day consider supplementing along with Fortifier mineral mini-pellet)

<u>Broodmares:</u>	<u>lb. of feed/100lb. of</u>
	<u>bodyweight</u>
Last Trimester pregnant mares:	0.50 to 0.75
Lactating Mares	1.00 to 1.50
(early lactation, foaling to 3 mo.)	
Lactating Mares	0.75 to 1.00
(late lactation, 3 months to Weaning)	

<u>Growing Horses</u>	<u>lb. of feed/100lb. of bodyweight</u>
Foals	Creep feed
Weanlings	0.50 to 1.25
Yearlings	0.50 to 1.00

(Foals: Start at 1 lb./HD/day and increase about 1 lb. per month up to 10 lbs /hd/day depending on desired growth, body condition, nursing ability of mare, and forage/pasture quality. When in doubt feed the lesser amount. NOTE: Excessive weight or condition is an enemy of young fast growing weanlings and yearlings. Feed accordingly.

Feed at least 1.2% to 1.75% of a horse body weight in good quality hay or pasture each day.

Divide total daily ration into a minimum of 2 (two) equal feedings

Equine

14% COMPETITOR

XQP # 9054

Complete feed for active horses.

GUARANTEED ANALYSIS

Crude Protein, min.....	14.00%
Lysine, min	0.75%
Methionine, min	0.30%
Threonine, min	0.50%
Crude Fat, min.....	6.00%
Crude Fiber, max.....	16.00%
Calcium, min.....	0.90%
Calcium, max.....	1.40%
Phosphorus, min.....	0.60%
Salt, min.....	0.35%
Salt, max.....	0.85%
Copper, min.....	49 ppm
Selenium, min.....	0.62 ppm
Zinc, min.....	120 ppm
Vitamin A, min.....	5,200 IU/lb
Vitamin D, min.....	500 IU/lb
<u>Vitamin E, min.....</u>	<u>60 IU/lb</u>

EXPANDED INGREDIENTS

Expanded Corn, Beet Pulp, Soybean Hulls, Soybean Meal, Wheat Red Dog, Wheat Middlings, Corn Distillers Dried Grains with Solubles, Soybean Oil, Cane Molasses, Monocalcium Phosphate, Calcium Carbonate, Corn Gluten Meal, Yeast Culture, Lignin Sulfonate, Salt, Magnesium Oxide, dl-Methionine, l-Lysine, , L-Threonine, Hydrated Sodium Calcium Aluminosilicate, Zinc Sulfate, Vitamin E Supplement Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Choline Chloride, Biotin, Vitamin A Acetate, Manganese Proteinate, Copper Proteinate, Manganese Sulfate, Biotin, Thiamine Mononitrate, Riboflavin, Pyridoxine Hydrochloride, d- Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of body condition that is desired. Provide fresh clean water at all times.

Consult your **BIG GAIN** Equine representative for precise feeding directions.

General feeding levels lbs./horse/day: (based on 1,000 lb. horse)

Open Horse	5.0 lbs.
Light Training	7.5 lbs.
Intense Training	10.0 lbs.

(NOTE: if horses are fed less than 4 lbs/head/day consider supplementing along with Fortifier mineral mini-pellet)

Broodmares: lb. of feed/100lb. of bodyweight

Last Trimester pregnant mares:	0.50 to 0.75
Lactating Mares	1.00 to 1.50
(early lactation, foaling to 3 mo.)	
Lactating Mares	0.75 to 1.00
(late lactation, 3 months to Weaning)	

Growing Horses lb. of feed/100lb. of bodyweight

Foals	Creep feed
Weanlings	0.50 to 1.25
Yearlings	0.50 to 1.00

(Foals: Start at 1 lb./HD/day and increase about 1 lb. per month up to 10 lbs /hd/day depending on desired growth, body condition, nursing ability of mare, and forage/pasture quality. When in doubt feed the lesser amount. NOTE: Excessive weight or condition is an enemy of young fast growing weanlings and yearlings. Feed accordingly.)

Feed at least 1.2% to 1.75% of a horse body weight in good quality hay or pasture each day.

Divide total daily ration into a minimum of 2 (two) equal feedings

Equine

12% MAINTAINER TX

9080

For the Maintenance Needs for all Classes of Horses

GUARANTEED ANALYSIS

Crude Protein, min.....	12.00%
Lysine, min	0.60%
Methionine, min	0.27%
Threonine, min	0.45%
Crude Fat, min.....	4.50%
Crude Fiber, max.....	6.25%
Calcium,min.....	0.60%
Calcium,max.....	1.10%
Phosphorus, min.....	0.50%
Salt, min.....	0.30%
Salt, max.....	0.80%
Copper, min.....	50 PPM
Selenium, min.....	0.60 PPM
Zinc, min.....	110 PPM
Vitamin A, min.....	4,800 IU/lb.
VitaminD, min.....	460 IU/lb.
<u>Vitamin E, min.....</u>	<u>60 IU/lb.</u>

INGREDIENTS

Rollled Corn, Whole Oats, Soybean Meal, Cane Molasses, Wheat Red Dog, Calcium Carbonate, Mono-Dicalcium Phosphate, Dehydrated Alfalfa Meal, Yeast Culture, Cane Molasses, Salt, Wheat Middlings, Magnesium Oxide, Corn Gluten Meal, Soybean Oil, Lignin Sulfonate, L-Lysine, dl-Methionine, L-Threonine, Hydrated Sodium Calcium Aluminosilicate, Zinc Sulfate, Vitamin E Supplement, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinates, Fenugreek Seed Extract, Niacinamide, Choline Chloride, Biotin, Vitamin A Supplement, Manganese Proteinates, Copper Proteinates, Manganese Sulfate, Thiamine Mononitrate, Riboflavin, Pyridoxine Hydrochloride, d- Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of body condition that is desired. Provide fresh clean water at all times.

Consult your BIG GAIN Equine representative for precise feeding directions.

General feeding levels lbs./horse/day: (based on 1,000 lb. horse)

Open Horse	5.0 lbs.
Light Training	7.5 lbs.
Intense Training	10.0 lbs.

(NOTE: if horses are fed less than 4 lbs/head/day consider supplementing along with Fortifier mineral mini-pellet)

Divide total daily ration into a minimum of 2 (two) equal feedings

Provide adequate forage (hay or pasture) at all times with a minimum of

1.2% body weight of good quality hay or pasture equivalent. Provide plenty of fresh, clean water at all times.

Equine WELL - BEING

XQP # 9063

Maintenance feed for mature horses.

GUARANTEED ANALYSIS

Crude Protein, min.....	14.00%
Lysine, min	0.75%
Methionine, min	0.28%
Threonine,min.....	0.50%
Crude Fat, min.....	6.00%
Crude Fiber, max.....	17.00%
Calcium, min.....	0.80%
Calcium, max.....	1.30%
Phosphorus, min.....	0.50%
Salt, min	0.30%
Salt, max.....	0.80%
Copper, min.....	50 ppm
Selenium, min.....	0.60 ppm
Zinc, min.....	120 ppm
Vitamin A, min.....	5,150 IU/lb
Vitamin D, min.....	500 IU/lb
Vitamin E, min.....	60 IU/lb
<u>Biotin, min</u>	<u>1.90 mg/lb</u>

INGREDIENTS

Soybean Hulls, Beet Pulp, Wheat Middlings, Expanded Corn, Dehydrated Alfalfa Meal, Soybean Meal, Corn Distillers Dried Grains with Solubles, Wheat Red Dog, Soybean Oil, Cane Molasses, Calcium Carbonate, MonoDicalcium Phosphate, Yeast Culture, Lignin Sulfonate, Salt, Magnesium Oxide, dl-Methionine, l-Lysine, L-Threonine, Hydrated Sodium Calcium Aluminosilicate, Zinc Sulfate, Vitamin E Supplement, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Choline Chloride, Biotin, Vitamin A Acetate, Manganese Proteinate, Copper Proteinate, Manganese Sulfate, Biotin, Thiamine Mononitrate, Riboflavin, Pyridoxine Hydrochloride, d- Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

Equine WELL-BEING is a low carb horse feed for the horse that has specific metabolic needs or moderate level exercised horse, or a senior horse. Equine WELL - BEING is a complete, expanded pellet that is fortified to meet the needs of the horse that is advanced in years. The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of condition that is desired.

Consult your BIG GAIN Equine representative for precise feeding directions.

General feeding levels lbs./horse/day:	
Open horse	5.0 lbs.
Light Training	7.5 lbs.
Intense Training	10.0 to 12 lbs.
(Based on a 1000 pounds body weight)	

(NOTE: if horses are fed less than 4 lbs/head/day consider supplementing along with Fortifier mineral mini-pellet)

Divide total daily ration into a minimum of 2 equal feedings. Provide adequate forage (hay or pasture) at all times with a minimum of 1.2% body weight of good quality hay or pasture equivalent. Provide plenty of fresh, clean water at all times.

SIMPLY SWEET 12%**TX**

Maintenance feed for mature horses

GUARANTEED ANALYSIS

Crude Protein, min	12.00%
Crude Fat, min	3.00%
Crude Fiber, max	14.50%
Calcium, min	0.80%
Calcium, max	1.30%
Phosphorus, min	0.62%
Salt, min.	0.30%
Salt, max.	0.80%
Copper, min	38 ppm
Seleinium, min	0.60 ppm
Zinc, min	150 ppm
Vitamin A min	4,685 IU/lb
Vitaimin D3, min	900 IU/lb
Vitamin E, min	40 IU/lb

INGREDIENTS

Oats, Rolled Corn, Processed Grain By-Products, Roughage Products, Soybean Meal, Cane Molasses, Soy Oil, Mono-Dicalcium Phosphate, Calcium Carbonate, Salt, Magnesium Oxide, Sodium Bicarbonate, dl-Methionine, dl-Alpha Tocopheryl Acetate (source of Vitamin E Activity), l-Lysine, Natural Zeolites, Manganese Sulfate, Biotin, Choline Chloride, Zinc Sulfate, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinate, Copper Proteinate, Thiamine Mononitrate, Riboflavin, Pyridoxine HCL, Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Feed Grade Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTION

The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment and amount of condition that is desired. Feed with hay and/or pasture to make a complete ration. Feed at the rate of ½ -1 lb. per hundred pounds of body weight with equal amounts of forage.

General feeding levels lbs./horse/day:

Open Horse	5.0 lbs.
Light Training	7.5 lbs.
Intense Training	10.0 lbs.

Divide total daily ration into a minimum of 2 (two) equal feedings.

Equine

SOLE-SOURCE SENIOR

XQP #9076

Maintenance feed for mature horses
Complete feed with built in roughage for horses

GUARANTEED ANALYSIS

Crude Protein, min.....	12.00%
Lysine, min	0.60%
Methionine,min	0.21%
Threonine, min.	0.45%
Crude Fat, min	5.00%
Crude Fiber, max	20.00%
Calcium, min.....	0.80%
Calcium, max.....	1.30%
Phosphorus, min.....	0.45%
Salt, min.....	0.60%
Salt, max.....	1.10%
Copper, min.....	40 ppm
Selenium, min.....	0.30 ppm
Zinc, min.....	112 ppm
Vitamin A, min.....	2,600 IU/lb.
Vitamin D, min.....	250 IU/lb.
<u>Vitamin E, min.....</u>	<u>30 IU/lb.</u>

EXPANDED INGREDIENTS

Dehydrated Alfalfa Meal, Beet Pulp, Expanded Corn, Soybean Hulls, Cane Molasses, Soybean Oil, Corn Distillers Dried Grains with Solubles, Corn Gluten Meal, Mono-dicalcium Phosphate, Salt, Soybean Meal, Yeast Culture, Calcium Carbonate, Magnesium Oxide, Dried *Aspergillus oryzae* Fermentation Product, Organic Wheat Bran, L-Lysine, Hydrated Sodium Calcium Aluminosilicate, dl-Alpha Tocopheryl Acetate (source of Vitamin E Activity), Manganese Sulfate, Biotin, Choline Chloride, Zinc Sulfate, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinate, Copper Proteinate, Thiamine Mononitrate, Riboflavin, Pyridoxine HCL, Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Mena-dione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Feed Grade Lecithin, Mineral Oil, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Mineral Oil, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

Equine Sole-Source Senior is a complete horse feed with the roughage built-in and provides equine with the essential nutrients needed in a complete balanced ration. The feeding ratios, as well as total daily intake, varies with age, body weight, exercise, and desired look. While hay is not required, it may be made available to confined horses to keep them content. Under certain situations the maintenance of metabolic or digestive balance and function may require hay feeding. If hay is to be fed, the amount of Equine Sole-Source Senior fed can be reduced about 1 pound for each 2 pounds of hay fed.

	Horses body weight		
	800lb	1000lb	1200lb
Maintenance	12 lbs.	14 lbs.	16-20 lbs.
Working	13 lbs.	16 lbs.	18-22 lbs.

Feed 1.4-1.6 lb. of feed per 100 lbs. of body weight per day depending on level of exercise, growth or reproductive status. Divide total daily ration into a minimum of 2 equal feedings. Ideally 4 times per day.

Equine

COOLMAX SUPPLEMENT

XQP #9105

Protein - Fiber supplement for horses

GUARANTEED ANALYSIS

Crude Protein, min	18.00%
Crude Fat, min	3.50%
Crude Fiber, max	18.00%
Calcium, min	1.40%
Calcium, max	1.90%
Phosphorus, min	0.75%
Salt, min.	0.75%
Salt, max.	1.25%
Copper, min	100 ppm
Selenium, min	1.20 ppm
Zinc, min	240 ppm
Vitamin A min	10,500 IU/lb
Vitamin D3, min	1,000 IU/lb
Vitamin E, min	125 IU/lb
Biotin, min	3.80 mg/lb

EXPANDED INGREDIENTS

Beet Pulp, Soybean Hulls, Soybean Meal, Wheat Red Dog, Corn Distillers Dried Grains with Solubles, Wheat Middlings, Calcium Carbonate, Monocalcium Phosphate, Soybean Oil, Dehydrated Alfalfa Meal, Yeast Culture, Corn Gluten Meal, Salt, Cane Molasses, Magnesium Oxide, dl-Methionine, Vitamin E Supplement, l-Lysine, Hydrated Sodium Calcium Aluminosilicate, Manganese Sulfate, Biotin, Choline Chloride, Zinc Sulfate, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinate, Copper Proteinate, Thiamine Mononitrate, Riboflavin, Pyridoxine HCL, Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Artificial and Natural Flavoring Agents.

FEEDING DIRECTION

For mixing or top-dress applications to fortify grains and hay.

Top-dress:

Make feed changes gradually. Split into a minimum of two feedings. Provide fresh clean water.

Coolmax Supplement is an expanded pellet that contains a unique blend of proteins, fermentable fibers, balanced amino acids, minerals/vitamins and oils. The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of condition that is desired. Can be fed along with supplemental grain(s).

Consult your **BIG GAIN** Equine representative for precise feeding directions.

General feeding levels (based on 1,000 lb. horse) Pounds/horse/day

Broodmare: Early Gestation	4.15
Broodmare: Late Gestation-lactation	5.50
Weanling	1.35
Idle Horse	2.50
Light Training	4.20
Intense Training	5.00

Complete Feed:

Mix 800 – 1000 lbs/ton of CoolMax supplement in complete feed depending on the desired fortification level.

Broodmares should be fed grain to condition along with the above recommended
NET WT 50 LB (22.68 KG) or BULK

Equine

30% EQUINE SUPPLEMENT

QP # 9050

Protein supplement for horses.

GUARANTEED ANALYSIS

Crude Protein, min.....	30.00%
Lysine, min	2.30%
Methionine, min	1.00%
Threonine, min	1.20%
Crude Fat, min.....	2.00%
Crude Fiber, max.....	4.50%
Calcium, min.....	3.50%
Calcium, max.....	4.50%
Phosphorus, min.....	1.60%
Magnesium, min	1.35%
Salt, min	2.25%
Salt, max	2.75%
Copper, min.....	330 ppm
Selenium, min.....	4.15 ppm
Zinc, min.....	820 ppm
Vitamin A, min.....	35,000 IU's / lb
Vitamin D, min.....	3,400 IU's / lb
<u>Vitamin E, min.....</u>	<u>420 IU's / lb</u>

INGREDIENTS

Soybean Meal, Wheat Red Dog, Calcium Carbonate, Mono-Dicalcium Phosphate, Dehydrated Alfalfa Meal, Yeast Culture, Cane Molasses, Salt, Wheat Middlings, Magnesium Oxide, Corn Gluten Meal, Soybean Oil, Lignin Sulfonate, L-Lysine, dl-Methionine, L-Threonine, Hydrated Sodium Calcium Aluminosilicate, Zinc Sulfate, Vitamin E Supplement, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Choline Chloride, Biotin, Vitamin A Supplement, Manganese Proteinate, Copper Proteinate, Manganese Sulfate, Thiamine Mononitrate, Riboflavin, Pyridoxine Hydrochloride, d- Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

For mixing or top-dress applications to fortify grains and hay.

The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment and amount of condition that is desired. Can be fed along with supplemental grains.

Consult your BIG GAIN Equine representative for precise feeding directions.

Top-dress:

General feeding levels (split into two feedings)	lbs/ horse/day
Broodmares: Early Gestation	1.25 lbs/day
Broodmares: Late Gestation-Lactation	1.50 lbs/day
Weanling	1.00 lbs/day
Light - moderate Training	1.00 – 1.50 lbs/day
Intense Training	1.40 - 1.60 lbs/day

Complete Feed:

Mix 250# – 400# lbs/ton of complete feed depending on the desired fortification level.

Broodmares should be fed grain to condition along with the above recommended levels of supplementation.

Provide adequate forage (hay or pasture) at all times with a minimum of 1.2% body weight of good quality hay or pasture equivalent. Provide plenty of fresh, clean water at all times.

NET WT 50 LB (22.68 KG) or Bulk Invoice

EQUINE FORTIFIER

MP

9071

GUARANTEED ANALYSIS

Crude Protein, min.....	12.00%
Lysine, min	1.85%
Methionine, min	2.00%
Crude Fat, min.....	2.90%
Crude Fiber, max.....	4.50%
Calcium, min.....	6.50%
Calcium, max.....	8.50%
Phosphorus, min.....	3.40%
Magnesium, min.....	3.50%
Salt, min.....	4.50%
Salt, max.....	5.50%
Copper, min.....	980 ppm
Selenium, min.....	12.50 ppm
Zinc, min.....	2,450 ppm
Vitamin A.....	105,000 IU/lb.
Vitamin D.....	10,000 IU/lb.
Vitamin E.....	1,250 IU/lb.
<u>Biotin, min.....</u>	<u>37.00 mg/lb.</u>

INGREDIENTS

Wheat Red Dog, Monocalcium Phosphate, Wheat Middlings, Calcium Carbonate, Magnesium Oxide, Dehydrated Alfalfa Meal, Salt, Cane Molasses, L-Lysine, dl-Methionine, Soybean Oil, Hydrated Sodium Calcium Aluminosilicate, Manganese Sulfate, Biotin, Zinc Sulfate, Vitamin E Supplement, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinate, Copper Proteinate, Thiamine Mononitrate, Riboflavin, Pyridoxine pyridoxine Hydrochloride, d-Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

Equine Fortifier is a concentrated source of vitamins and minerals pelleted for mixing or top-dressing applications to fortify grains and hay. The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of condition that is desired.

Top Dress: General feeding levels (split into two feedings) oz / horse / day

Broodmares: Early Gestation	6.0
Broodmares: Late Gestation-Lactation	6.0 to 8.0
Weaning	4.0 to 6.0
Idle Horse	2.0 to 4.0
Light Training	4.0 to 8.0
Intense Training	6.0 to 10.0

Complete Feed:

Mix 90-120 lbs/ton of complete feed depending on the desired feeding rate.

NOTE: Broodmares should be fed grain to condition along with the above recommended levels of supplementation.

Provide adequate forage (hay or pasture) at all times with a minimum of

1.2% body weight of good quality hay or pasture equivalent. Provide plenty of fresh, clean water at all times.

Feeding Hint: Offer loose salt on a self-fed basis at all times.

Caution: follow label directions. The addition of feed of higher levels of this mineral containing selenium is not permitted. Do not permit excessive consumption.

Warning: Contains Copper sources. Do not offer to sheep or other related species sensitive to copper.

EQUINE**FUTURITY PAC MEAL****# 9141**

For the growing, working and performance horse.

GUARANTEED ANALYSIS

Crude Protein, min.....	26.00%
Lysine, min	2.50%
Methionine, min	1.10%
Threonine, min	1.25%
Crude Fat, min.....	1.50%
Crude Fiber, max.....	3.00%
Calcium, min.....	4.00%
Calcium, max.....	5.00%
Phosphorus, min.....	4.00%
Salt, min.....	4.00%
Salt, max.....	5.00%
Copper, min.....	.350 ppm
Selenium, min.....	4.70 ppm
Zinc, min.....	900 ppm
Biotin, min.....	41.0 mg/lb.
Vitamin A, min	39,000 IU's /lb
Vitamin D, min	3,750 IU's / lb
<u>Vitamin E, min</u>	<u>460 IU's / lb</u>

INGREDIENTS

Yeast Culture, MonoDicalcium Phosphate, Soybean Meal, Dried *Aspergillus oryzae* Fermentation Product, Dried Yeast, Yeast Extract, L-Leucine, Extracted citric acid presscake, Salt, Calcium Carbonate, L-Valine, L-Lysine, L-Isoleucine, dl-Methionine, L-Threonine, Yucca Schidigera, Soybean Oil, Hydrated sodium calcium aluminosilicate, Zinc Sulfate, Vitamin E Supplement, Biotin, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Choline Chloride, Vitamin A Supplement, Manganese Proteinate, Copper Proteinate, Manganese Sulfate, Organic Wheat Bran, Thiamine Mononitrate, Riboflavin, Pyridoxine Hydrochloride, d-Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

Equine Futurity Pac is a low inclusion fortified top-dress designed to be fed along with a Rein & Saddle complete Feed to meet the additional demands of growth, rigorous exercise and recovery. The amount fed will depend upon the variation in size age, degree of activity, breed husbandry practices, environment and amount of condition that is desired.

General feeding levels lbs./horse/day:)

Feed at a rate of two (2) to four (4) ounces per head per day along with the recommended amount of a Rein & Saddle complete feed.

Additional Vegetable Oil (Flax oil meal, Trifecta Cool Fuel or Big Gain unrefined Soy oil) may be necessary at a rate of 2 to 8 ounces per head per day depending on calorie demands.

Complete Mix should be fed to desired body condition. The above levels of supplementation are guidelines only. Consult your Rein & Saddle Equine specialist for more accurate feeding recommendations.

Divide total daily ration into a minimum of 2 equal feedings.

NET WT 25 LB OR 50 LB (11.34 KG OR 22.68 KG)

EQUINE

PEAK-PERFORMER

TXT

9393

Complete feed for active horses.

GUARANTEED ANALYSIS

Crude Protein, min.....	13.50%
Lysine, min	0.75%
Methionine, min	0.25%
Threonine, min0.50%
Crude Fat, min.....	7.20%
Crude Fiber, max.....	11.00%
Calcium, min.....	1.15%
Calcium, max.....	1.35%
Phosphorus, min.....	0.75%
Salt, min.....	0.40%
Salt, max.....	0.90%
Copper, min.....	.55 ppm
Selenium, min.....	0.60 ppm
Zinc, min.....	140 ppm
Biotin, min.....	3.50 mg/lb.
Vitamin A, min	6,000 IU's /lb
Vitamin D.min	600 IU's / lb
<u>Vitamin E, min</u>	<u>120 IU's / lb</u>

INGREDIENTS

Whole Oats, Beet Pulp, Expanded Barley, Expanded Corn, Cane Molasses, Soybean Meal, Heat Processed Soybeans, Soybean Oil, Whole Flax Seed, Corn Gluten Meal, Monocalcium Phosphate, Calcium Carbonate, Salt, Yeast Culture, Magnesium Oxide, Dried Yeast and Yeast Extract, L-Leucine, L-Lysine, L-Isoleucine, Valine, Choline Chloride, dl-Methionine, Hydrated Sodium Calcium Aluminosilicate, , Manganese Sulfate, Biotin, Zinc Sulfate, Vitamin E Supplement, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinates, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinates, Copper Proteinates, Thiamine Mononitrate, Riboflavin, Pyridoxine pyridoxine Hydrochloride,d- Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTIONS

For the younger, working and performance horses. The Equine Peak-Performer TXT is a complete, texturized feed that is fortified to meet the additional demands of rigorous exercise. The amount fed will depend upon the variation in size age, degree of activity, breed husbandry practices, environment and amount of condition that is desired.

General feeding levels lbs./horse/day: (based on 1,000 lb. horse)

Light Training	6.0 Lbs.
Moderate Training	8.0 Lbs.
Intense Training	8.0 – 12.0 Lbs.
Growth & Training	8.0 – 12.0 lbs.
Gestation Mid-late *	6.0 – 8.0 lbs
Early Lactation *	6.0 – 12.0 lbs

(*) will depend on body condition, milk production, and forage quality.

Divide total daily ration into a minimum of 2 - 3 equal feedings.

NET WT 50 LB (22.68 KG) or Bulk Invoice

Equine

QUADRANT BALANCER XQP

9046

Balancer for pleasure, performance and sport horses

GUARANTEED ANALYSIS

Crude Protein, min	13.00%
Crude Fat, min	3.60%
Crude Fiber, max	13.00%
Calcium, min	1.35%
Calcium, max	1.55%
Phosphorus, min	0.70%
Salt, min.	1.30%
Salt, max.	1.50%
Copper, min	110 ppm
Selenium, min	1.30 ppm
Zinc, min	260 ppm
Vitamin A min	11,200 iu/lb
Vitamin D3, min	1,100 iu/lb
Vitamin E, min	134 iu/lb

EXPANDED INGREDIENTS

Expanded Corn, Soybean Hulls, Wheat Middlings, Soybean Meal, Beet Pulp, Wheat Red Dog, Cane Molasses, Calcium Carbonate, Monocalcium Phosphate, Soybean Oil, Corn Gluten Meal, Salt, Magnesium Oxide, L-Lysine, dl-Methionine, Hydrated Sodium Calcium Aluminosilicate, dl-Alpha Tocopheryl Acetate (source of Vitamin E Activity), Manganese Sulfate, Biotin, Choline Chloride, Zinc Sulfate, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinate, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinate, Copper Proteinate, Thiamine Mononitrate, Riboflavin, Pyridoxine HCL, Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Feed Grade Lecithin, Mineral Oil, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Mineral Oil, Artificial and Natural Flavoring Agents.

FEEDING DIRECTION

For mixing or top-dress applications to fortify grains and good quality hay.

Top-dress:

General feeding levels pounds./horse/day: (split into two feedings)

Quadrant Balancer is an expanded pellet that contains a unique blend of Proteins (balanced amino acids), Energy (soluble carbohydrates, oils and fermentable fibers), Minerals (macro & micro minerals) and Vitamins (fat and water soluble). The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of condition that is desired. Can be fed along with supplemental grain(s).

Consult your BIG GAIN Equine representative for precise feeding directions.

Pounds/horse/day

Broodmare: Early Gestation	4.00
Broodmare: Late Gestation-lactation	5.00
Weanling	1.35
Idle Horse	2.50
Light Training	3.50
Moderate to Intense Training	5.00

Complete Feed:

Mix 800 – 1000 lbs/ton of Hennen Balancer in complete feed depending on the desired fortification level.

Broodmares should be fed grain to condition along with the above recommended levels of supplementation.

NET WT 50 LB (22.68 KG) or BULK invoice

Equine

TRACK N' TRAIL BLEND XQP

9146

Complete feed for active horses.

GUARANTEED ANALYSIS

Crude Protein, min.....	12.50%
Crude Fat, min.....	5.00%
Crude Fiber, max.....	15.00%
Calcium, min.....	0.90%
Calcium, max.....	1.40%
Phosphorus, min.....	0.55%
Salt, min.....	0.35%
Salt, max.....	0.85%
Copper, min.....	45 ppm
Selenium, min.....	0.60 ppm
Zinc, min.....	100 ppm
Vitamin A.....	4,400 IU/lb
Vitamin D.....	400 IU/lb
Vitamin E.....	50 IU/lb
<u>Biotin, min.....</u>	<u>1.60 mg/lb.</u>

EXPANDED INGREDIENTS

Processed Grain By-products, Roughage Products, Grain Product, Molasses Product, Soybean Oil, Calcium Carbonate, Salt, Magnesium Oxide, Lignin Binder, dl-Methionine, L-Lysine, Hydrated Sodium Calcium Aluminosilicate, Manganese Sulfate, Biotin, Choline Chloride, Zinc Sulfate, Vitamin E Supplement, L-Threonine, Copper Sulfate, Selenium Yeast, Sodium Selenite, Zinc Proteinates, Fenugreek Seed Extract, Niacinamide, Vitamin A Acetate, Manganese Proteinates, Copper Proteinates, Thiamine Mononitrate, Riboflavin, Pyridoxine HCL, Calcium Pantothenate, Folic Acid, Potassium Iodide, Vitamin B12 supplement, Menadione Sodium Bisulfate Complex (source of vitamin K activity), Vitamin D supplement, Cobalt Carbonate, Anise Seed Oil, Mineral Oil, Lecithin, Phosphoric Acid, Sulfuric Acid, Polyethylene Glycol, Sodium Benzoate, Artificial and Natural Flavoring Agents.

FEEDING DIRECTION

The amount fed will depend upon the variation in size, age, degree of activity, breed husbandry practices, environment, forage and amount of body condition that is desired. Provide fresh clean water at all times.

Consult your **BIG GAIN** Equine representative for precise feeding directions.

General feeding levels lbs./horse/day: (based on 1,000 lb. horse)

Open Horse	5.0 lbs.
Light Training	7.5 lbs.
Intense Training	10.0 lbs.

(NOTE: if horses are fed less than 4 lbs/head/day consider supplementing along with Fortifier mineral mini-pellet)

Broodmares: lb. of feed/100lb. of bodyweight

Last Trimester pregnant mares:	0.50 to 0.75
Lactating Mares	1.00 to 1.50
(early lactation, foaling to 3 mo.)	
Lactating Mares	0.75 to 1.00
(late lactation, 3 months to Weaning)	

Growing Horses lb. of feed/100lb. of bodyweight

Foals	Creep feed
Weanlings	0.50 to 1.25
Yearlings	0.50 to 1.00

(Foals: Start at 1 lb./HD/day and increase about 1 lb. per month up to 10 lbs /hd/day depending on desired growth, body condition, nursing ability of mare, and forage/pasture quality. When in doubt feed the lesser amount. NOTE: Excessive weight or condition is an enemy of young fast growing weanlings and yearlings. Feed accordingly.)

Feed at least 1.2% to 1.75% of a horse body weight in good quality hay or pasture each day.

Divide total daily ration into a minimum of 2 (two) equal feedings

NET WT 50 LB (22.68 KG) or Bulk

BG 24/7 AN 12 Equine

Feeding Directions

This product is designed to be fed free-choice to all classes of equines. Provide one block for each 2 to 20 head. Place a minimum of two blocks in each pasture or lot. Locate the blocks in areas where the animals frequent such as shaded or loafing areas, or in watering areas. Consumption will vary depending on feed quality and the animals stage of production. Consumption will normally range between 0.25 and 3.0 pounds per day. Typically consumption will be 1.25 pounds per head per day.

Caution: Use only according to label directions, this product contains copper and should not be fed to sheep, or any other animals that are sensitive to copper.

Equines must be managed so that consumption of this block does not exceed three pounds per head per day.

AN 12 Equine

24 hour/ day—7 days per week:

The unique patented production process provides you with a product that is constantly working for you 24 hours per day seven days per week.

Yeast Culture, B-Vitamins and Electrolytes

Contains Yeast culture, B-vitamins and Electrolytes to stimulate appetite and improve digestion.

Chelated Trace Minerals:

Improved trace mineral availability to the animal.

Pure Nutrition:

Low Moisture Block Only 2-4% Moisture
No Fillers or Binding Agents
All natural protein source

Economical:

With an average daily intake of only 1.25 pounds per head per day this product provides very competitive feed costs on a per head per day basis.

Ingredients:

Molasses products, plant protein products, salt hydrolyzed vegetable oil, process grain by-products, monocalcium phosphate, dicalcium phosphate, calcium carbonate, magnesium oxide, manganese sulfate, zinc sulfate, manganese amino acid complex, zinc amino acid complex, copper amino complex, copper sulfate, copper chloride, zinc oxide, manganous oxide, ethylenediamine dihydriodide, calcium iodate, cobalt carbonate, cobalt glucoheptonate, sodium selenite, vitamin A acetate, vitamin D3 supplement, Vitamin E supplement, thiamin mononitrate, menadione dimehtylpyrimidinol bisulfite, riboflavin, calcium pantothenate, niacin, vitamin B12 supplement, choline chloride, d-biotin.

Product #895
Product #896

New Weight: 125 LB
Net Weight: 60 LB

BG 24/7 AN 12 Equine

For All Classes of Equines

BG 24/7 AN 12 Equine

For All Classes of Equines

Crude Protein, Min.	12.0%
Crude Fat, Min.	5.0%
Crude Fiber, Max.	2.0%
Calcium, Min.	1.0%
Calcium, Max.	1.5%
Phosphorous, Min.	1.0%
Salt, Min.	12.0%
Salt, Max	13.0%
Potassium, Min.	2.0%
Sulfur, Min.	0.4%
Magnesium, Min.	0.7%
Cobalt, Min.	6 ppm
Copper, Min	240 ppm
Iodine, Min.	10 ppm
Manganese, Min.	800 ppm
Selenium, Min.	0.7 ppm
Zinc, Min.	800 ppm
Vitamin A, Min.	30,000 IU/LB
Vitamin D, Min	5,000 IU/LB
Vitamin E, Min	200 IU/LB

Manufactured For:

Big Gain Inc.
416 Mathews
Mankato, MN 56001

Big Gain Wisconsin LLC.
W9077 Schulz Rd.
Lodi, WI 53555